

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22	canonic\$4 near10 XML near10 (translat\$4 conver \$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/27 10:55
S145	115	canonic\$4 near10 XML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/02 22:44
S146	29	canonic\$4 near10 XML and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/02 22:47
S147	1	xml near10 canonic\$4 same cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 16:14
S148	115	xml near10 canonic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 16:14
S149	43	xml near10 canonic\$4 and cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 16:15
S150	17	xml near10 canonic\$4 and cach\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 16:19
S151	0	xml near10 canonic\$4 same compar\$7 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 16:19
S152	29	xml near10 canonic\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 16:19
S153	12	xml near10 canonic\$4 and @ad< "20010531" not S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 16:22
S154	14	canonic\$4 near10 cach\$4 and @ad< "20010531" not S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 16:26
S155	45	canonic\$4 same cach\$4 and @ad< "20010531" not S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 16:26

S156	10	canonic\$4 same cach\$4 same return\$4 and @ad< "20010531" not S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:25
S157	45	canonic\$4 same cach\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 11:49
S158	0	(design\$4 near10 canonic \$4 same cach\$4).ti. and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 11:49
S159	4	"US 6748491"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2006/11/20 14:16
S160	4	"6694322"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:26
S161	115	xml near10 canonic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:27
S162	1	xml near10 canonic\$4 same cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:30
S163	23	xml near10 (standard\$8) same cach\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 14:30
S164	6	xml near10 cach\$4 near10 format\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/21 10:30
S165	47	xml near10 cach\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/21 10:30
S166	23	(stor\$4 cach\$4) near10 request\$4 near10 canonic \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 11:39
S167	2	"US 20020087798"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2006/11/24 13:29
S168	37	"5915249"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:18
S169	324	"707".clas. and canonic\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:18

S170	20850546	"707".clas. and canonic\$4 same xmland @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:19
S171	9	"707".clas. and canonic\$4 same xml and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:21
S172	68	"707".clas. and canonic\$4 same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:21
S173	1	"707".clas. and conver\$6 near10 canonic\$4 near10 request\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:22
S174	9	conver\$6 near10 canonic \$4 near10 request\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:24
S175	0	conver\$6 near10 canonic \$4 same multi\$5 near10 protocol\$4 near10 cach\$5 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:25
S176	5	conver\$6 same multi\$5 near10 protocol\$4 near10 cach\$5 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:25
S177	425	multi\$5 near10 protocol\$4 near10 cach\$5 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:25
S178	12	multiple near10 protocol\$4 near10 cach\$5 near10 request\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:26
S179	0	cach\$4 near10 respons\$4 near10 quer\$4 near10 independent\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:30
S180	0	cach\$4 near10 respons\$4 near10 quer\$4 same independent\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:30
S181	71	cach\$4 near10 quer\$4 same independent\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:30
S182	0	xml near10 universal\$4 near10 cach\$4 same protocol\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:37

S183	0	xml near10 universal\$4 near10 cach\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:37
S184	9	protocol\$4 same universal \$4 near10 cach\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:37
S185	84	protocol\$4 near10 independent\$4 same cach \$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:38
S186	17	("20010002473" "5524253" "5778189" "5983265" "6108345" "6185611" "6216158" "6298377" "6314459" "6415329").PN. OR ("6594700").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/24 13:39
S187	15	("20010002473" "5524253" "5778189" "5983265" "6108345" "6185611" "6216158" "6298377" "6314459" "6415329").PN. OR ("6594700").URPN. and cach\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/24 13:41
S188	12	request\$4 near10 cach\$4 near10 respons\$4 near10 xml	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/24 13:43
S189	2	"20020184340"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:44
S190	265	conver\$4 near10 (quer\$4 request\$4) near10 (canonic \$4 xml) and @ad< "20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:51
S191	11	conver\$4 near10 (quer\$4 request\$4) near10 (canonic \$4 xml) same cach\$4 and @ad< "20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:47
S192	34	conver\$4 near10 (quer\$4 request\$4) near10 (canonic \$4) near10 form\$3 and @ad< "20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:56
S193	7	conver\$4 near10 (quer\$4 request\$4) near10 (canonic \$4) near10 form\$3 and cach\$4 and @ad< "20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 14:05

S194	28	cach\$4 near10 canonic\$4 and @ad<"20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:56
S195	9	(quer\$4 request\$4) near10 cach\$4 near10 canonic\$4 and @ad<"20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 13:57
S196	18	conver\$4 near10 (quer\$4 request\$4) near10 (standard\$7) near10 form \$3 and cach\$4 and @ad<"20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 14:36
S197	89	conver\$4 near10 (quer\$4 request\$4) near10 (standard\$7) near10 form \$3 and stor\$4 and @ad<"20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:19
S198	6	normali\$6 near10 (quer\$4 request\$4) near10 xml and @ad<"20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 14:39
S199	2	normali\$6 near10 (quer\$4 request\$4) near10 xml and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 14:40
S200	17	normali\$6 near10 (quer\$4 request\$4) same cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 14:54
S201	93	"707".clas. and normali\$6 near10 (quer\$4 request\$4) and cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 14:54
S202	89	"707".clas. and normali\$6 near10 (quer\$4 request\$4) and cach\$4 and @ad<"20010531" not S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 14:57
S203	0	cach\$4 near10 xml near10 request\$4 same equival\$6 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 14:58
S204	11	cach\$4 near10 request\$4 same logic\$4 near10 equival\$6 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 14:59
S205	9	cach\$4 same (quer\$4 request\$4) same logically near10 equival\$6 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:00

S206	1	xml near10 (quer\$4 request\$4) same logically near10 equival\$6 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:00
S207	2	determin\$4 near10 (quer\$4 request\$4) same logically near10 equival\$6 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:01
S208	15	(extens\$4 near5 markup near5 language\$1 xml) near10 (request\$4 quer\$4) near10 cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:04
S209	0	(extens\$4 near5 markup near5 language\$1 xml) near10 canonic\$4 near10 cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:04
S210	29	(extens\$4 near5 markup near5 language\$1 xml) near10 canonic\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:07
S211	0	(extens\$4 near5 markup near5 language\$1 xml) near10 canonic\$4 near10 request\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:07
S212	13	(extens\$4 near5 markup near5 language\$1 xml) near10 canonic\$4 same request\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:08
S213	0	(extens\$4 near5 markup near5 language\$1 xml) near10 canonic\$4 same cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:08
S214	0	(extens\$4 near5 markup near5 language\$1 xml) near10 canonic\$4 same prox\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:08
S215	17	(extens\$4 near5 markup near5 language\$1 xml) near10 canonic\$4 and cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:09
S216	0	(extens\$4 near5 markup near5 language\$1 xml) near10 canonic\$4 same (key\$1 hash\$4) and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:09

S217	13	(extends\$4 near5 markup near5 language\$1 xml) near10 canonic\$4 same (key\$1 hash\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:09
S218	1	(extends\$4 near5 markup near5 language\$1 xml) near10 canonic\$4 same (key\$1 hash\$4) same cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:09
S219	5	(extends\$4 near5 markup near5 language\$1 xml) near10 canonic\$4 same (key\$1 hash\$4) and cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:10
S220	64	(extends\$4 near5 markup near5 language\$1 xml) near10 request\$4 near10 cach\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:16
S221	4	(extends\$4 near5 markup near5 language\$1 xml) near10 request\$4 near10 cach\$4 same equival\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:24
S222	11	(extends\$4 near5 markup near5 language\$1 xml) near10 request\$4 near10 cach\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:16
S223	3	(normal\$7 translat\$4 conver\$4) near10 (quer\$4 request\$4) near10 (standard\$7) near10 form \$3 same cach\$4 and @ad< "20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:52
S224	2	(normal\$7 translat\$4 conver\$4) near10 (quer\$4 request\$4) near10 (standard\$7) near10 form \$3 same cach\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:23
S225	70	(extends\$4 near5 markup near5 language\$1 xml) near10 database\$4 near10 protocol\$4 and @ad< "20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:25
S226	1	canonic\$4 near10 (extends\$5 near5 markup near5 language\$1 xml) same cach\$4 and @ad< "20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:26
S227	53	canonic\$4 near10 (extends\$5 near5 markup near5 language\$1 xml) and @ad< "20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:26

S228	23	canonic\$4 near10 (extens\$5 near5 markup near5 language\$1 xml) and cach\$4 and @ad< "20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:27
S229	25	canonic\$4 near10 (extens\$5 near5 markup near5 language\$1 xml soap) and cach\$4 and @ad< "20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:31
S230	0	universal\$4 near10 cach\$4 near10 multiprotocol\$4 and @ad< "20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:31
S231	0	universal\$4 near10 cach\$4 near10 multi\$4 near10 protocol\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:31
S232	415	cach\$4 near10 multi\$4 near10 protocol\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:31
S233	5	cach\$4 near10 multi\$4 near10 protocol\$4 same conver\$5 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:32
S234	23	cach\$4 near10 multi\$4 near10 protocol\$4 same (conver\$5 normal\$6 translat\$4) and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:34
S235	9	cach\$4 near10 universal\$4 same (conver\$5 normal\$6 translat\$4) and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:36
S236	12	cach\$4 near10 standard\$8 same (conver\$5 normal\$6 translat\$4) near10 request\$4 and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:40
S237	1921	cach\$4 same (conver\$5 normal\$6 translat\$4) near10 (quer\$4 request\$4) and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:50
S238	8	cach\$4 same (conver\$5 normal\$6 translat\$4) near10 (quer\$4 request\$4) same (extens\$4 near5 markup near5 language\$1 xml soap) and @ad< "20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:50

S239	57	cach\$4 same (conver\$5 normal\$6 translat\$4) near10 (quer\$4 request\$4) and (extends\$4 near5 markup near5 language\$1 xml soap) and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:49
S240	2	cach\$4 near10 response\$4 same (conver\$5 normal\$6 translat\$4) near10 (quer\$4 request\$4) same (extends\$4 near5 markup near5 language\$1 xml soap) and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:50
S241	160	cach\$4 near10 response\$4 same (conver\$5 normal\$6 translat\$4) near10 (quer\$4 request\$4) and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:50
S242	2488	(normal\$7 translat\$4 conver\$4) near10 (quer\$4 request\$4) same cach\$4 and @ad<"20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:53
S243	953	(normal\$7) near10 (quer\$4 request\$4) same cach\$4 and @ad<"20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:53
S244	704	(normal\$7) near10 (quer\$4 request\$4) same cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:53
S245	16	(normaliz\$7) near10 (quer\$4 request\$4) same cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:54
S246	1696	(normaliz\$7 translat\$4 conver\$4) near10 (quer\$4 request\$4) same cach\$4 and @ad<"20020531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:53
S247	847	(translat\$4) near10 (quer\$4 request\$4) same cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:55
S248	92	(translat\$4) near10 (quer\$4 request\$4) same compar\$6 same cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:55
S249	0	(translat\$4) near10 (quer\$4 request\$4) same compar\$6 same cach\$4 and @ad<"20010531" and "707".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:55

S250	2	(translat\$4) near10 (quer\$4 request\$4) same compar\$6 same cach\$4 and @ad<"20010531" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:55
S251	4	(conver\$7) near10 (quer\$4 request\$4) same compar\$6 same cach\$4 and @ad<"20010531" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:56
S252	0	canonic\$7 same (xml exten\$7 near5 markup near5 language) same equivalen\$7 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:57
S253	2	canonic\$7 same (xml exten\$7 near5 markup near5 language) same equ\$8 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:58
S254	0	canonic\$7 same (xml exten\$7 near5 markup near5 language) same logically and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:59
S255	6	canonic\$7 same (xml exten\$7 near5 markup near5 language) same logically	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:58
S256	6	canonic\$7 same (xml exten\$7 near5 markup near5 language) same conver\$5 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 21:38
S257	5	canonic\$7 same (xml exten\$7 near5 markup near5 language) same quer\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 15:59
S258	31372	format\$4 near10 (xml exten\$7 near5 markup near5 language) (document\$4 request\$4) near10 standard\$6 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 21:39
S259	132	format\$4 near10 (xml exten\$7 near5 markup near5 language) near10 (document\$4 request\$4) near10 standard\$6 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 22:09
S260	41	(conver\$6 translat\$4 format\$4) near10 (xml exten\$7 near5 markup near5 language) near10 (document\$4 request\$4) near10 standard\$6 and @ad<"20010531" and "707".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 21:41

S261	41	(conver\$6 transl\$4 format\$4) near10 (xml exten\$7 near5 markup near5 language xsl) near10 (document\$4 request\$4) near10 standard\$6 and @ad<"20010531" and "707".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 21:41
S262	11	(xml exten\$7 near5 markup near5 language xsl) near10 (request\$4) near10 cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 22:13
S263	11	(xml exten\$7 near5 markup near5 language xsl soap) near10 (request\$4) near10 cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 22:13
S264	19	(xml exten\$7 near5 markup near5 language xsl soap) near10 (request\$4) same cach\$4 and @ad<"20010531" not S263	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 22:13
S265	5	generat\$4 near10 hash\$4 near10 request\$4 near10 cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 22:21
S266	79	generat\$4 near10 hash\$4 near10 cach\$4 and @ad<"20010531"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 22:21
S267	60	canonical near10 XML near10 (normaliz\$8 conver\$6 transl\$4 format\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/24 22:29

2/27/08 11:01:54 AM

C:\Documents and Settings\JAvellino\My Documents\ EAST\ Workspaces\ 09\ 871440.wsp